

Title: FOOD SUPPLEMENT FOR INCREASING LEAN MASS AND STRENGTH

Insert

FIELD OF INVENTION

5 The present invention is directed to food supplements which
comprise nitric oxide or derivatives thereof, and a source of amino
acids or derivatives thereof; supplements which stimulate nitric
oxide in the body, and a source of amino acids; supplements which
enhance and mimic insulin activity; and to methods for
10 supplementing the diet of an athlete and methods for enhancing an
athlete's muscle size and/or strength, which methods employ these
food supplements.

BACKGROUND OF INVENTION

Food supplements for enhancing an athlete's muscle size and
strength have become popular substitutes for steroids and other drugs
15 in various sports and body building regimes. However, as athletes
continually strive for improved performance, there is a continuing
need for non-steroid containing aids for increasing lean mass, muscle
size and strength.

*insert
FI*

SUMMARY OF THE INVENTION

20 Nitric oxide plays an essential role in tonic and
exercise-associated (e.g., recovery from exercise) regulation of
vasodilation and blood flow. The present inventor has found that
increased NO through supplementing the diet of an athlete with
substances which increase the concentration of nitric oxide (NO) or
25 increase its half life in the body, in combination with a source of
amino acids, may provide surprising enhancement of an athlete's
muscle size or strength when administered to an athlete's diet.
Accordingly, in one broad aspect the present invention provides new
food supplements to increase the delivery and duration of nitric oxide
30 in the body. These food supplements do not themselves contain nitric
oxide; rather, they act to promote the production of nitric oxide or to
enhance its half life in the body. Preferably the invention provides

food supplements particularly adapted for supplementing the diet of an athlete, preferably the food supplements of the present invention enhance an athlete's muscle size and/or strength.

5 According to one embodiment of the present invention there is provided a food supplement comprising a substance which increases nitric oxide production in the body, and, a source of amino acids.

Preferably the substance which increases nitric oxide production may act by stimulating insulin levels in the circulation, and, a source of amino acids.

10 According to another preferred embodiment, the supplements of the present invention include a substance which may increase insulin sensitivity, and, a source of amino acids.

15 According to yet another aspect of the present invention, there is provided a supplement which may increase nitric oxide and thereby increase nitrogen retention in the body. Preferably the supplement comprises a substance which may increase nitrogen retention in the body, in combination with a source of amino acids.

20 In another aspect, the present invention provides a food supplement comprising a substance which enhances and mimics insulin activity, and, a source of amino acids.

25 In another broad aspect, the present invention provides methods of supplementing bodybuilding in an athlete comprising administering to the athlete an effective amount of a food supplement according to the present invention to achieve an increase in muscle size and strength. Other features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the specific examples while indicating preferred embodiments of the invention are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

30

DETAILED DESCRIPTION OF THE INVENTION

5 The food supplements and methods of the present invention may provide further and significant muscle size and strength enhancement or improvement in individuals as compared with supplements and methods employing only proteins and/or amino acids. While it is expected that the supplements and methods of the present invention will be of importance to bodybuilders and other athletes, the supplements and methods of the invention are not limited to those groups. Rather, any individual may use the
10 supplements and methods of the invention. Indeed, the supplements and methods may have applications to all animals.

Although the present invention is not to be limited by any theoretical explanation, it is believed that nitric oxide plays an essential role in tonic and exercise-associated (e.g., recovery from
15 exercise) regulation of vasodilation and blood flow. Increased NO supports improved perfusion of skeletal muscle, which it is believed thereby stimulates oxidative metabolism, ATP and creatine phosphate biosynthesis, nutrient (e.g., amino acid) delivery and utilization for muscle (e.g., myofibrillar) protein synthesis, glucose delivery and
20 uptake, glycogen synthesis, creatine delivery and uptake, creatine phosphate synthesis, fat loss regulation of nutrient-mediated insulin secretion, and nitrogen retention. The supplements according to the present invention are preferably based on a unique whey-protein system fortified with additional amino acids to further enhance the rapid absorption (i.e., of (-amino nitrogen) characteristics of whey
25 which lend to its potent protein anabolic effects. Thus, combined with the metabolic effects of increased NO function, the supplements of the present invention effectively enhance the muscle protein anabolic effects of a source of amino acids, preferably any source of protein, more preferably whey.
30

The food supplements and methods of the present invention may provide further and significant size and strength enhancement

through the role of certain substances which mimic and/or increase the sensitivity of insulin, in conjunction with a source of amino acid. Although the present invention is not to be limited by any theoretical explanation, it is believed that the family of substances known as the inositols, are physiological precursors to membrane protein anchors known as glycosphatidylinositols (GPI). As used herein, "inositols" includes myo-inositol, cis-inositol, epi-inositol, allo-inositol, muco-inositol, neo-inositol, scyllo-inositol, d-chiro-inositol, l-chiro-inositol, d-pinitol and myo-inositol. Hydrolysis of GPI releases in inositolphosphoglycans which are water soluble mediators of insulin signalling events. Accordingly, increased availability of these GPI precursors, increase insulin sensitivity and these GPIs can trigger insulin signalling pathways and events independent of insulin thereby mimicing the effects of insulin. The pathways and events which are mimiced include, but are not limited to amino acid transport, protein synthesis, gene transcription, mRNA translation initiation, glucose uptake, glycogen storage, steroid hormones synthesis, and can thereby increase the development of muscle cells. Consequently, supplements which comprise a substance which can enhance and/or mimic insulin activity, and a source of amino acids, preferably any source of protein, more preferably, whey, may provide further and significant muscle size and strength enhancement as compared with supplements employing only proteins or amino acids.

The food supplements described herein comprise the compounds specifically identified and any derivatives thereof, for example a salt or ester. Suitable salts include, but are not limited to, alkali and alkaline earth metal salts, for example sodium, potassium or calcium salts, while suitable esters include, but are not limited to, alkyl esters, for example, methyl, ethyl or propyl esters, or lactone esters.

As used herein "source of amino acid" means any peptide, polypeptides, protein or any composition of individual amino acids or

individual amino acid. Throughout the present specification, as a part of the food supplement of the invention whey protein or a derivative thereof are identified as the preferred source of amino acids or protein. Commercially available whey protein derivatives include WPI 97,
5 Whey Peptides, WPC 80, and ION EXCHANGE whey protein. However, as will be readily appreciated by those skilled in the art, other sources of protein include milk protein, casein, any of the albumins including chicken egg albumin, and soy, may be used as a source of amino acids.

10 **Supplements**

According to one embodiment of the present invention there is provided a food supplement comprising a substance which increases nitric oxide production in the body in combination with a source of amino acids. As used herein, "a food supplement comprising a
15 substance ... in combination with a source of amino acids" means the supplement contains both the substance which has an action as well as a source of amino acids. According to one aspect, an increase in nitric oxide production may be brought about by a substance selected from the group consisting of glycosidal saponins, ginseng, l-arginine, folic
20 acid, bioflavinoids, for example, grape seed extract, and herbs, preferably l-arginine, most preferably ginseng.

According to one aspect of the present invention a substance which increases nitric oxide production may act by stimulating insulin levels in the circulation, preferably, the substance is selected
25 from the group consisting of L-arginine, glycosidal saponins, for example, ginseng, and N-acetyl cysteine, most preferably ginseng.

According to another embodiment of the present invention, there is provided a food supplement comprising a substance which mimics and/or enhances insulin activity, the supplement also
30 containing a source of amino acids. According to a preferred embodiment, a substance which mimics and/or enhances insulin activity is preferably selected from the group consisting of N-acetyl

cysteine, myo-inositol, preferably d-myo-inositol, cis-inositol, epi-inositol, allo-inositol, muco-inositol, neo-inositol, scyllo-inositol, d-chiro-inositol, l-chiro-inositol, d-pinitol and glucomannan, most preferably glucomannan.

5 A source of amino acids is preferably selected from the group consisting of WPI 97, Whey Peptides, WPC 80, ION EXCHANGE, lactoferrin, whey protein, most preferably whey protein, although as indicated above, any other protein source may be used.

10 According to yet another aspect of the present invention, there is provided a supplement which may increase nitric oxide thereby increasing nitrogen retention in the body. Preferably the supplement comprises a substance which may increase nitrogen retention in the body, in combination with a source of amino acids. Preferably the
15 substance which may increase nitrogen retention in the body is selected from the group consisting of glucomannan, glycosidal saponins, for example, ginseng, l-arginine, glutamine, methionine and leucine, preferably glucomannan, most preferably ginseng. The source of amino acids is preferably selected from the group consisting of WPI
20 97, Whey Peptides, WPC 80, ION EXCHANGE, lactoferrin, whey protein, most preferably whey protein.

25 As will be readily appreciated by those skilled in the art, the supplement is not limited to only one substance which by itself may increase nitric oxide, insulin output, insulin secretion, insulin sensitivity, and one source of amino acids. Indeed the present invention provides for combinations of substances and sources of
30 amino acids, in differing amounts.

 The food supplement compositions of the present invention may be provided in a variety of formats, for example, in liquid form, powder form, or protein bar form. Powders are preferable and are
30 prepared to be suitable for mixing with water or other liquids. The food supplement compositions in powder or granular form may be provided in accordance with customary processing techniques, for

example as spray dried powders, or the like.

According to one embodiment, the food supplement compositions of the present invention are delivered in powder on a per one "scoop" basis. As used herein, one "scoop" is approximately 28
5 g of supplement. According to one embodiment, one "scoop" comprises: glycosidal saponins (such as ginseng) from 1mg-3000 mg; myo-inositol, from 1mg- 2000mg; d-chiro-inositol, from 1mg-2000mg; and glucomannan, from 10mg-4000mg; and a source of amino acids, preferably protein, most preferably whey.

10 According to another embodiment a food supplement composition comprises, when delivered in powder form per one "scoop": glycosidal saponins, about 150mg to about 1500mg; myo-inositol about 100mg to about 2000mg; and glucomannan from about 25mg to about 2000mg; and a source of amino acids, preferably
15 protein, most preferably whey.

According to another embodiment the food supplement composition comprises, when delivered in powder form per one "scoop": glycosidal saponins from about 50mg to about 500mg; glucomannan from about 50mg to about 1000mg; and myo-inositol,
20 from about 200mg to about 1000mg, and a source of amino acids preferably protein, most preferably whey.

According to another embodiment, the food supplement composition comprises, when delivered in powder form per one "scoop": glucomannan from about 100mg to about 500mg; and a
25 source of amino acids, preferably protein, most preferably whey.

According to yet another embodiment, the food supplement composition comprises, when delivered in powder form per one "scoop" glycosidal saponins at about 50mg; and a source of amino
acids, preferably protein, most preferably whey.

30 The food supplement compositions according to the present invention may further contain additional components to further increase the speed and or ease with which the substances enter the

bloodstream and subsequently possibly impact the muscle tissue, or to otherwise enhance the effects of nitric oxide in the body. For example, additional amino acids may be included in the food supplement compositions. Suitable amino acids include, but are not limited to, glutamine, alanine, taurine, carnitine, acetyl-L-carnitine, and the like. These additional amino acids may stimulate cell volumization and protein synthesis and therefore provide further advantages to increasing muscle strength and/or size. These amino acids may be employed individually or in various combinations and in amounts customary in the art, for example in the range of from about 0.01 mg to about 1000 mg per gram of food supplement depending upon the amount of protein, or peptides, derived from whey or other source of amino acid in the supplement.

The food supplement compositions can also contain ascorbic acid (vitamin C), for example in amounts equal to or exceeding the recommended minimum daily requirements. Another component for possible use in the food supplements of the present invention comprises beta-hydroxy, beta-methyl butyrate (HMB), in amounts known in the art.

The food supplement compositions may further comprise natural and/or artificial flavouring components, dyes or other colouring additives, preservatives and other conventional food supplement additives known in the art.

Methods of Use of Supplements

The food supplements according to the present invention may be employed in methods for supplementing the diet of an athlete, and/or for enhancing an athlete's muscle size or strength. The food supplement compositions of the present invention are particularly advantageous for creating an increased anabolic environment and obtaining extra growth in lean muscle mass and strength. Accordingly, the present invention provides methods of supplementing bodybuilding in an athlete comprising administering

to the athlete an effective amount of a food supplement according to the present invention. Administration of an "effective amount" of the supplements and substances of the present invention is defined as an amount effective, at dosages and for periods of time necessary to
5 achieve the desired result. The effective amount of the supplements of the invention may vary according to factors such as the age, sex, and weight of the athlete. Dosage regima may be adjusted to provide the optimum response: Several divided doses may be administered daily or the dose may be proportionally reduced as indicated by the
10 exigencies of the individual athlete situation.

As just stated, the amount of the food supplement composition which is administered to the diet of the athlete may vary depending on the desired effect, the body weight and characteristics of the athlete, and the like. For example, in preferred methods for supplementing
15 the diet of an athlete and/or for enhancing an athlete's muscle size or strength, from about 0.5 to about 10 scoops of a supplement according to present invention are administered to the diet of the athlete on a daily basis.

In more preferred embodiments of these methods, from about 1
20 to about 6 scoops of a supplement according to the present invention are administered to the diet of the athlete on a daily basis. Number of scoops and frequency per day will depending upon the composition of the scoop, as outlined in variations set out above.

As will be readily appreciated a food supplement in accordance
25 with the present invention may be administered in a single serving or in multiple servings spaced throughout the day. In a preferred embodiment, a food supplement in accordance with the present invention may be administered once in the morning, once immediately or shortly after training and once in the evening on a
30 daily basis.

In order to maximize the effects of a food supplement according to the present invention, in enhancing muscle size and/or strength, it

is preferred that the food supplement is administered to the diet of the athlete immediately following an exercise period. On non-workout days, the food supplement may be administered anytime during the day, although administering a first amount of a food supplement upon awakening or otherwise during the morning hours is preferred.

The food supplement compositions and methods of the invention are further illustrated in the following non-limiting examples. In the examples and throughout the present specification, parts and percentages are by weight unless otherwise specified.

10

EXAMPLES

EXAMPLE 1

A muscle size and/or strength enhancing regime is initiated and established so that the athlete consumes three servings of the following food supplement daily, with each serving being 1 scoop which is approximately 28 g of the supplement and comprising:

Per 1 scoop:

| | |
|---------------|------|
| Protein | 20g |
| Carbohydrates | 3g |
| Fiber | 1g |
| Sugar | 2g |
| Fat: | 1.5g |

20

INGREDIENT

AMOUNT/SERVING

SynthePro™ A blend of the following constituting 18g

WPI 97

25

WHEY PEPTIDES

WPC 80

ION EXCHANGE WHEY

LACTOFERRIN

Nitroxen™ A blend of the following constituting

30

ARGININE

GLYCOSIDAL SAPONINS

| | | |
|----|--|--------|
| | FOLIC ACID | 400mcg |
| | Insulogen™ A blend of the following constituting | 200mg |
| | MYO-INOSITOL, | |
| | CIS-INOSITOL | |
| 5 | EPI-INOSITOL | |
| | ALLO-INOSITOL | |
| | MUCO-INOSITOL | |
| | NEO-INOSITOL | |
| | SCYLLO-INOSITOL | |
| 10 | D-CHIRO-INOSITOL | |
| | L-CHIRO-INOSITOL | |
| | INZITOL((D-PINITOL) | |
| | GLUCOMANNAN | |
| | TAURINE | 100mg |
| 15 | LEUCINE | |
| | POTASSIUM PHOSPHATE | 100mg |
| | VIT E | 30IU |
| | NAC | 25mg |
| | VIT B6 | 10.5mg |
| 20 | MAGNESIUM | 50mg |
| | The rest of the volume comprising the following: | |
| | GUAR GUM | |
| | METHIONINE | |
| | GLUTAMINE PEPTIDES | |
| 25 | GLUTAMINE | |
| | ALPHA-KETO GLUTARATE | |
| | PHENYLALANINE | |

Each supplement serving is mixed with 6 ounces of cold water and the servings are administered approximately evenly spaced through the day, with a first serving in the morning, shortly after awakening, a second serving being consumed immediately after the athlete's exercise workout, and a third at a convenient time in the

evening.

EXAMPLE 2

A muscle size and/or strength enhancing regime as outlined in Example 1 is established so that the athlete consumes three servings of the food supplement daily, with each serving being 2 scoops which is approximately 56 g of the supplement.

EXAMPLE 3

Where the regime in Example 1 or 2 is established, the athlete continues this regime on a day-to-day basis. As in Example 1 or 2, the serving is mixed with cold water to form a liquid drink. Alternatively, the food supplements may be combined with other liquid drinks or foods as desired. This regime is intended to last for the full term during which an athlete is working out. The servings and their timing should also be consumed on non-workout days (with the second serving being taken mid-day) in order to maintain enhanced muscle size and/or strength.

The servings set forth in these examples are designed for a 2000 calorie diet. Daily values may be increased or decreased depending on the calorie needs of individual athletes, and/or body weights of individual athletes.

EXAMPLE 4

Thirty-six experienced weight trained males were randomly assigned (double-blind) to one of three experimental groups: 1. a dietary supplement of a whey protein blend, comprising whey protein isolate 97%, creatine, glycosidal saponins, arginine, and glucomannan (WI) - 1.2 g/kg/d whey protein, and 0.1 g/kg/d creatine; pure whey protein (W) - 1.2 g/kg/d; or a placebo (P) - 1.2 g/kg/d maltodextrin. Pre and post test measures consisted of 1-RM bench press, 1-RM squat, Biodex isokinetic leg extension power (ILP), and body composition as assessed

by dual energy x-ray absorptiometry (DEXA). Training involved a 4-day split routine of high volume, heavy load periodized workouts with sets and reps varying from 4-5 sets and 4-10 reps. Each group experienced a significant change from baseline measure ($p < 0.05$). Post hoc analysis revealed that the WI group demonstrated greater increases in lean muscle mass (+4.0 kg), 1-RM bench press (+16 kg), and ILP (+23 J/s) than W and P ($p < 0.05$). The W group had a significantly greater increase in lean mass (+2.3 kg) and ILP (+18 J/s) than the P group ($p < 0.05$). These findings indicate that whey protein supplementation when combined with resistance training for 6-weeks results in significant gains in muscular power and lean muscle mass, and when the whey protein is combined with other potentially ergogenic acids, even larger gains in muscle mass, 1-RM strength, and power occur.

The examples and embodiments set forth in the present application are provided only to illustrate various aspects of the invention and additional embodiments and advantages of the food supplements and methods of the present invention will be apparent to those skilled in the art.